

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
08CH18N10TMOD	V	ø460	235
08CH18N10TMOD	V	ø130	2040
08CH18N10TMOD	V	240x240	700
08CH18N10TMOD	V	ø140	1600
08CH18N10TMOD	V	ø825	1150
08CH18N10TMOD	V	ø360	1050
08CH18N10TMOD	V	ø290	700
08CH18N10TMOD	V	300x300	1030
08CH18N10TMOD	V	ø250	1300
08CH18N10TMOD	V	ø400	500
0CHN3MFA	V	200x190	2000
100Cr6	V	390x390	1700
100CrMo7	V	ø250	1020
10CrMo910EN2	V	ø250	1000
10CrMo910EN2	V	ø300	650
11375	V	440x440	900
11416	V	350x350	600
11416	V	670x480	650
11416	V	230x230	800
11503	V	600x600	400
11503	V	390x390	850
11523	V	370x130	2300
11523	V	ø480	540
11523	V	450x450	1550
11523	V	540x450	500
11800	-	ø360	1450
11800	-	ø460	1040
11800	-	ø540	600
11800	-	440x430	1530
11800	-	430x420	700
11800	-	500x490	640
11800	-	490x490	570
11800	-	ø300	830
11800	-	ø590	700
11800	-	ø590	350
11800	-	ø470	1800
11800	-	ø350	650
11CrMo910	V	165x165	750
11CrMo910	V	ø240	600

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
11CrMo910	V	ø390	950
11CrMo910	V	250x250	950
11CrMo910	V	ø340	2100
11CrMo910	V	ø510	930
11CrMo910	V	ø490	900
11CrMo910	V	ø490	1350
12020MOD	V	220x220	1400
12040	V	ø550	1050
12040	V	290x290	650
12040	V	260x260	650
12050	V	ø540	1050
12050	V	ø530	1400
12051	V	ø320	1880
12061	V	ø390	2150
12061	V	ø200	1500
12061	V	260x260	1650
12061	V	290x210	1100
12061	V	ø340	500
12061	V	ø470	1300
12072	-	440x440	1270
12140	V	8Hrø450	1730
12140	V	390x390	620
13123	V	ø490	700
13123	V	210x210	900
13123	V	590x590	450
13240	V	140x100	1000
13CrMo45	V	ø240	980
13CrMo45	V	200x200	1000
13CrMo45	V	ø540	900
13CrMo45	V	ø380	500
13CrMo45	V	ø380	500
13CrMo45	V	ø330	1300
14209	V	ø310	1050
14220	V	150x150	1840
14220/A	V	140x75	1930
14220/A	V	ø330	600
14220/A	V	330x330	500
14220/A	V	600x600	400
14260	V	280x280	1750

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
14340	V	220x170	700
14340	V	290x290	560
14340	V	290x240	1000
14Ch17N2	V	ø190	750
14MoV63	-	290x290	1830
14MoV63	-	290x290	1650
14MoV63	-	220x120	700
14MoV63MODEN	V	260x260	1450
14MoV63MODEN	V	ø300	440
14MoV63MODEN	V	ø270	930
14MoV63MODEN	V	290x290	1200
14MoV63MODEN	V	390x390	800
15128	V	ø220	750
15128	V	350x350	300
15128N2	V	190x90	2000
15130	V	ø320	1260
15130	V	ø320	1300
15130	V	280x280	1100
15230	V	ø240	950
15230	V	ø200	300
15230	V	ø210	850
15230	V	ø140	800
15230	V	ø220	900
15230	V	ø290	850
15230	V	350x330	1100
15230	V	ø280	1500
15230	V	250x250	980
15231	V	ø320	750
15231	V	500x470	450
15231	V	520x520	560
15231	V	520x520	720
15235	V	550x550	750
15235	V	590x590	600
15236	V	410x390	640
15236	V	ø240	1040
15236	V	430x430	250
15236	V	490x490	1250
15236MOD	V	ø350	820
15236MOD	V	ø360	830

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
15236MOD	V	ø340	600
15236MOD	V	300x280	1150
15240	V	240x230	1200
15240	V	ø250	1060
15240	V	300x300	1240
15240	V	500x500	2040
15240	V	240x230	1800
15241	V	ø170	700
15241	V	130x100	1100
15241	V	490x490	1330
15260MOD	V	ø508	1830
15320	V	200x190	1680
15320	V	170x170	600
15320	V	ø240	800
15320	V	550x530	720
15320	V	ø240	1500
15320	V	ø250	1500
15330	V	590x570	450
15330	V	ø230	1870
15335	V	400x390	1300
15340	V	300x290	1340
15340	V	ø300	1080
15340	V	ø320	850
15340	V	ø300	1000
15340	V	490x350	500
15340	V	500x480	550
15340	V	360x360	600
15340	V	ø280	1150
15340	V	ø340	1000
15340	V	ø300	1280
15340	V	ø350	950
15340	V	ø360	800
15340	V	ø350	800
15340	V	ø280	1200
15341	V	170x160	730
15341	V	ø255	980
15341	V	ø250	1200
15341	V	440x440	870
15341	V	ø400	1550

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
15412	V	290x290	3450
15423	V	250x250	1400
15423	V	ø330	1050
15CH1M1Fmod	V	370x370	1100
15CrNi6	V	ø500	1250
15NiCuMoNb5	V	ø220	900
15NiCuMoNb5	V	ø380	1100
15NiCuMoNb5	V	ø430	450
15NiCuMoNb564EN	V	ø250	1230
15NiCuMoNb564EN	V	350x300	560
15NiCuMoNb564EN	V	420x350	560
15NiCuMoNb564EN	V	430x405	520
15NiCuMoNb564EN	V	430x360	520
15NiCuMoNb564EN	V	520x520	840
15NiCuMoNb564EN	V	ø310	820
15NiCuMoNb564EN	V	450x450	550
16231	V	ø160	1100
16231	V	490x490	1750
16240	V	8Hrø440	600
16240	V	480x480	960
16240	V	ø300	920
16240	V	ø310	1050
16240	V	ø550	1000
16240	V	540x540	500
16333	V	ø390	600
16341	V	190x190	1850
16343	V	630x500	1550
16343	V	440x440	450
16420	V	ø500	1150
16430	V	ø570	1300
16431	V	ø400	990
16440	V	320x320	1530
16440	V	ø340	700
16440	V	ø330	1900
16442	V	ø570	630
16520	V	200x200	350
16520	V	350x120	800
16520	V	340x340	600
16540	V	ø460	800

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
16540	V	ø530	800
16540VM80	V	450x240	860
16540VM80	V	450x240	830
16720Mo	V	330x330	400
16720Mo	V	ø260	420
16720Mo	V	ø260	1180
16720Mo	V	ø300	770
16CrMo44	V	190x160	820
16CrMo44	V	240x240	800
16CrMo44	V	ø290	600
16MnCr5E	V	410x260	800
16MnCr5E	V	200x200	730
16MnCr5E	V	490x400	620
16MnCr5E	V	ø230	900
16MnCr5E	V	380x230	950
16MnCr5E	V	ø500	470
16MnCr5E	V	ø370	1400
16Mo3	V	ø250	750
16Mo3	V	410x410	440
16Mo3	V	ø220	1000
16Mo3	V	220x220	1400
17021	V	8Hrø350	900
17021	V	ø340	750
17023	-	8Hrø300	1000
17029	V	290x290	500
17029	V	280x280	1330
17029	V	290x280	400
17246	V	ø130	920
17246	V	270x270	350
17246	V	ø190	1700
17348	V	430x430	1600
18CrMo4HH	V	440x440	1120
18CrMo4HH	V	450x450	610
18CrNi8	V	ø380	1100
18CrNi8	V	ø520	900
18CrNi8	V	ø400	2500
18CrNi8	V	ø400	500
18CrNiMo76	V	ø270	440
18CrNiMo76HHB3	V	ø160	1450

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
18CrNiMo76HHB3	-	ø200	1100
18CrNiMo76HHB3	V	190x190	1400
18CrNiMo76HHB3	V	ø390	800
18CrNiMo76HHCPF	V	260x260	1100
19426	V	310x310	1700
19426	V	ø250	750
19426	V	240x240	570
19426	V	ø310	680
19426	V	ø280	1020
19426	V	ø380	780
19426	V	ø220	1100
19426	V	290x280	1070
19426	V	ø380	930
19436	V	ø200	960
19436	V	ø540	350
19436	V	ø370	840
19436	V	ø370	640
19541	V	ø300	900
19541	V	320x150	1100
19552	V	ø230	1000
19553	V	ø240	1400
19553	V	ø530	1000
19553	V	ø290	630
19554	V	ø480	1000
19613	V	260x250	1260
19613	V	ø300	730
19613	V	ø490	1030
19613	V	ø500	940
19613	V	ø495	1100
19613	V	ø500	900
19613	V	ø480	700
19613	V	ø480	760
19613	V	ø420	1530
19613	V	ø410	1800
19613	V	ø400	1500
19613	V	ø410	1540
19663	V	300x300	550
19663	V	ø260	580
19663	V	450x110	1060

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
19663	V	ø540	530
19663	V	ø300	1600
19663	V	240x240	750
19663	V	420x200	1150
19663	V	300x300	900
19663	V	350x300	1000
19663	V	550x450	750
19663	V	ø400	500
19663	V	ø400	580
19663RP	-	450x210	650
19675	V	170x170	900
19675	V	ø145	1600
19675	V	ø145	1600
19675	V	ø145	1600
19675	V	ø145	1600
19675	V	ø145	1570
19675	V	320x300	1030
19675	V	ø400	640
19678	V	200x200	500
19720	-	560x300	500
19720	V	ø280	850
19721	V	8Hrø380	650
19733	V	390x390	270
20CH13	V	500x500	910
20CH2N4A	V	440x440	1100
20CrMo5	V	440x440	1100
20CrMo5	V	ø550	900
20H2N4A	V	440x440	950
20H2N4A	V	260x100	800
20Mn5EN	V	ø840	570
20MnMoNi45TUV	V	ø350	700
20MnMoNi45TUV	V	ø540	550
20MnV6	V	330x320	540
20MnV6	V	ø180	1220
20MnV6	V	330x330	460
20MnV6	V	ø300	1230
21CrMoNiV47	V	260x250	1600
21CrMoNiV47TLV	V	350x330	430
21CrMoNiV47TLV	V	260x260	1600

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
21CrMoNiV47TLV	V	330x330	480
21CrMoNiV47TLV	V	350x330	880
21CrMoV511	V	250x250	1450
21CrMoV511	V	640x640	550
21CrMoV57	V	220x80	1760
21CrMoV57EN	V	350x340	1500
21CrMoV57EN	V	340x340	650
21MnCr5	V	480x470	1400
22K	V	430x430	1770
22KSM	V	270x270	1000
22KSM	V	260x260	1100
22KZVU	V	ø390	750
24CrMo5SEW	V	270x250	410
24CrMo5SEW	V	450x250	1000
24CrMo5SEW	V	450x250	1000
24CrMo5SEW	V	450x250	1000
24CrMo5SEW	V	680x680	450
24CrMo5SEW	V	ø540	400
24CrMoV55	V	ø400	490
24CrMoV55	V	ø630	830
24CrMoV55	V	640x640	500
24CrMoV55	V	470x470	860
25CH1MF	V	8Hrø320	480
25CH1MF	V	210x210	600
25CrMo4	V	450x240	540
25CrMo4	V	ø250	1600
25CrMo4ENNb	V	260x260	1100
25CrMo4ENNb	V	400x400	640
25CrMo4ENNb	V	ø260	950
25CrMo4Nb	V	280x280	380
25CrMo4Nb	V	640x480	800
25CrMo4Nb	V	ø280	1050
26NiCrMoV115	V	ø500	600
26NiCrMoV115SIE	V	ø550	840
26NiCrMoV115SIE	V	440x440	570
26NiCrMoV115SIE	V	ø130	930
26NiCrMoV115SIE	V	ø500	800
26NiCrMoV115SIE	V	ø620	340
26NiCrMoV115SIE	V	ø700	1000

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
26NiCrMoV115SIE2	V	ø700	950
26NiCrMoV145	V	ø340	540
27NiCrMoV116	V	360x330	400
27NiCrMoV156	V	230x230	1530
27NiCrMoV156	V	ø290	900
28CrMoNiV49	V	ø470	840
28CrMoNiV49	V	ø390	1050
28CrMoNiV49	V	ø250	570
28CrMoNiV49	-	ø330	1050
28CrMoNiV49	V	360x350	600
28CrMoNiV49	V	ø470	660
28CrMoNiV49	V	ø660	780
28CrMoNiV49	V	ø530	850
28CrMoNiV49	V	ø390	820
28Mn6	V	270x270	1500
30CrMoNiV511	V	ø280	920
30CrMoNiV511	V	400x400	1130
30CrMoNiV511	V	ø400	900
30CrMoNiV511	V	ø310	1500
30CrMoNiV511	V	ø510	1100
30CrMoNiV511	V	690x690	450
30CrMoNiV511TLV	V	ø340	1700
30CrMoNiV511TLV	V	300x300	1000
30CrMoNiV511TLV2	V	ø400	1400
30CrMoV9EN	V	420x420	500
30CrNiMo8EN	V	ø310	250
30CrNiMo8EN	V	320x320	250
30CrNiMo8EN	V	ø245	1190
30CrNiMo8EN	V	240x240	1280
30CrNiMo8EN	V	ø250	1000
30CrNiMo8EN	-	240x240	750
30CrNiMo8EN	V	ø280	1400
30CrNiMo8EN1HH	-	ø230	1500
30Mn5	V	480x480	990
31CrMo12	V	200x200	700
31CrMo12	-	240x230	950
31CrMoV9EN	V	ø230	1100
32CrMo12SEW	V	250x60	1400
32CrMoV1228	V	260x190	530

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
32CrMoV1228ASK	V	260x260	800
33CrNiMo11/A93	V	390x390	700
33CrNiMo11/A93	V	390x390	740
33CrNiMo11/A93	V	390x390	620
33CrNiMo11/A93	V	390x390	780
34ChN3M	V	ø300	1450
34ChN3M	V	500x500	700
34ChN3M	V	500x500	700
34ChN3M	V	490x490	550
34ChN3M	V	ø540	820
34ChN3M	V	ø540	1000
34ChN3M	V	ø540	750
34ChN3M	V	ø540	870
34CrAlNi7	V	ø320	860
34CrAlNi7	V	ø250	1200
34CrAlNi7	V	ø260	800
34CrAlNi7	V	240x240	750
34CrMo4EN	V	ø300	550
34CrMo4EN	V	200x180	1200
34CrMo4EN	V	280x280	1400
34CrMo4EN	V	200x200	950
34CrMo4EN	V	ø480	700
34CrMo4EN	V	240x240	1520
34CrMo4EN	V	ø540	550
34CrNiMo6EN	V	570x570	800
34CrNiMo6EN	V	ø530	450
34CrNiMo6EN	V	ø370	1050
34CrNiMo6EN	V	ø300	1150
34CrNiMo6SB	V	300x300	800
34CrNiMo6SB	V	550x500	720
36CrNiMo4	V	330x210	600
36CrNiMo4HH	V	380x340	800
36NiCrMo16	V	ø400	1100
36NiCrMo16	V	ø780	1020
36NiCrMo16	V	290x290	1280
36NiCrMo16	V	ø490	600
36NiCrMo16	V	670x670	850
38CHN3MFA	V	330x330	1100
39NiCrMo3	V	380x380	800

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
39NiCrMo3	V	370x370	750
39NiCrMo3	V	360x360	530
39NiCrMo3	V	370x370	700
39NiCrMo3	V	360x360	700
39NiCrMo3	V	ø400	970
39NiCrMo3	V	ø380	960
39NiCrMo3	V	ø390	1000
39NiCrMo3	V	ø380	720
39NiCrMo3	V	ø380	1150
39NiCrMo3	V	ø380	1200
39NiCrMo3	V	450x450	1100
39NiCrMo3	V	ø390	950
40Ch	V	200x150	930
40Ch	V	300x300	650
40Ch	V	340x340	950
40ChMFA	V	ø400	700
40ChMFA	V	ø400	760
40ChMFA	V	ø420	1320
40ChMFA	V	ø400	700
40ChMFA	V	550x530	740
40ChMFA	V	ø530	1300
40ChMFA	V	500x500	1150
40ChMFA	V	ø400	880
40ChMFA	V	ø395	770
40ChN	V	ø370	2250
40ChN	V	300x300	1200
40ChN	V	370x370	350
40ChN	V	600x600	500
40ChN	V	400x400	1600
40CrMnMo7	V	250x250	1150
40CrMnMo7	V	200x180	600
40CrMnNiMo864	V	300x200	1060
40NiCrMo7	V	580x400	1900
40NiCrMoSK	V	290x230	780
410MOD	V	ø370	760
4130AKS2	V	ø630	890
4130MOD3	V	ø480	500
4130MOD3	V	ø630	420
4140	V	ø230	560

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
4140	V	390x290	630
41Cr4	V	220x220	500
41Cr4	V	240x240	400
41CrAlMo710	V	ø120	1010
41CrAlMo710	V	400x400	1950
42CrMo4EN2NVNb	V	ø250	710
42CrMo4EN2NVNb	V	910x340	500
42CrMo4EN2NVNb	V	ø240	720
42CrMo4EN2NVNb	V	ø240	830
42CrMo4EN2NVNb	V	300x300	650
42CrMo4EN2NVNb	-	ø190	1520
42CrMo4EN2NVNb	V	ø230	1300
42CrMo4EN2NVNb	-	ø270	850
42CrMo4EN2NVNb	V	910x340	500
42CrMo4EN2NVNb	V	ø360	1250
42CrMo4EN2NVNb	V	ø140	950
42CrMo4EN2NVNb	V	ø330	700
42CrMo4EN2NVNb	V	ø440	1400
42CrMo4EN2NVNb	V	ø450	1500
42CrMo4EN2NVNb	V	430x430	650
42CrMo4EN2NVNb	V	290x120	1000
42CrMo4EN2NVNb	V	290x120	1000
42CrMo4EN2NVNb	V	290x120	1000
42CrMo4EN2NVNb	V	290x120	1000
42CrMo4EN2NVNb	V	300x300	650
42CrMo4EN2NVNb	V	430x430	600
42CrMo4EN2NVNbHH	V	380x360	620
42CrMo4ENNVNb	V	500x500	350
42CrMo4ENNVNb	V	ø320	1100
42CrMo4ENNVNb	V	ø300	300
42CrMo4K20	V	ø390	800
42CrMo4MOD7	V	250x250	740
42CrMo4MOD7	V	330x310	520
42CrMo4MOD7	V	ø280	430
42CrMo4MOD7	V	410x290	630
42CrMo4MOD7	V	ø250	1300
42CrMo4MOD7	V	350x340	1000
42CrMo4MOD7EN	V	410x200	380
42CrMo4MOD7EN	V	630x420	700

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
42CrMo4MOD8	V	ø310	800
42CrMo4MOD8	V	ø320	1220
42CrMo4MOD8	V	ø350	1540
42CrMo4MOD8	V	ø500	540
42CrMo4MOD8	V	390x390	600
42CrMo4SEW	V	410x380	700
42CrMo4SEW	V	ø400	1500
42CrMo4SEW	V	8Hrø600	530
4330	V	570x570	1100
4340	V	300x300	750
4340	V	ø340	640
4340	V	390x390	1100
4340	V	500x500	1600
4340AKS	V	580x550	1050
43PSMA	V	ø270	1090
43PSMA	V	ø320	1000
43PSMA	V	ø270	800
45HN	V	ø440	960
45NiCrMoV166	V	250x230	650
45NiCrMoV166	V	ø400	3100
48CrMoV67	V	210x210	430
48CrMoV67	V	200x150	850
48NiCrMoSK	V	290x230	1000
50CrMo4	V	ø470	1260
50CrMo4E	V	ø430	350
50CrMo4SE	V	ø580	900
50CrMo4SE	V	ø550	980
50CrMo4SE	V	ø460	850
50CrMo4SE	V	ø460	800
50CrMo4SE	V	8Hrø430	680
50CrMo4SE	V	490x490	1140
51CrV4	V	240x220	870
51CrV4	V	ø170	1900
51CrV4	V	ø290	600
51CrV4	V	290x290	350
51CrV4	V	250x250	400
51CrV4	V	400x380	350
51CrV4	V	400x400	480
51CrV4EN	V	ø210	900

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
51CrV4EN	V	ø210	1130
51CrV4EN	V	ø230	500
51CrV4EN	V	340x240	300
55NiCrMoV7	V	8Hrø370	890
55NiCrMoV7	V	ø500	440
55NiCrMoV7	V	450x450	500
56NiCrMoV7	V	240x240	750
56NiCrMoV7	V	ø550	450
56NiCrMoV7	V	430x430	1100
56NiCrMoV7ASK	V	340x330	400
56NiCrMoV7RP	V	370x280	1740
56NiCrMoV7RPSK	V	300x300	1070
56NiCrMoV7RPSK	V	470x480	820
56NiCrMoV7RPSK	V	480x280	1100
56NiCrMoV7RPSK	V	440x440	1450
56NiCrWV7SK1	V	250x650	500
58CrV4	V	450x450	2050
60WCrV8	V	440x440	610
722M24	V	490x490	1800
7CrMoV	V	ø420	510
7CrMoV	V	ø480	800
7CrMoV	V	ø790	350
8630GE	V	270x270	580
8630GE	V	ø540	1000
8630GE	V	630x630	660
8630MOD4	V	ø570	1620
8630MOD4	V	ø450	750
8630MOD6	V	420x420	400
8630VGN2	-	8Hrø650	1700
86CrMoV7	V	8Hrø400	500
86CrMoV7	V	440x440	1200
86CrMoV7	V	ø450	600
86CrMoV7	V	ø400	1000
86CrMoV7KL	V	ø200	1160
86CrMoV7KL	V	ø210	1900
86CrMoV7KL	V	370x370	960
8Cr3MoSiV	V	ø520	600
8Cr3MoSiV	V	ø520	800
8Cr3MoSiV	V	ø520	550

Provedení / Execution: Překováno na uvedené rozměry, vychlazeno / Reforged to the referred dimensions
 Ceny dohodou / Prices by agreement

Technický kontakt / Technical contact: Luděk Mašek, tel. +420 566 641 972, e-mail: ludek.masek@zdas.cz
 Obchodní kontakt / Commercial contact: Jaromír Pospíšil, tel. +420 566 641 731, e-mail: jaromir.pospisil@zdas.cz

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
8Cr3MoSiV	V	ø520	750
8Cr3MoSiV	V	ø520	750
8Cr3MoSiV	V	ø520	700
8Cr3MoV	-	ø290	2000
8Cr3MoV	V	ø570	340
8Cr3MoV	V	ø400	1320
8Cr3MoV	V	ø290	430
8Cr3MoV	V	ø380	860
8Cr3MoV	V	ø360	1050
8Cr3MoV	V	220x220	1030
8Cr3MoV	V	ø370	880
8Cr3MoV	V	ø370	1020
8Cr3MoV	V	ø370	730
8Cr3MoV	V	ø370	1000
8Cr3MoV	V	ø370	1000
8Cr3MoV	V	ø370	1000
8Cr3MoV	V	ø370	1000
8Cr3MoV	V	240x240	1550
8Cr3MoV	V	ø450	600
8Cr3MoV	V	8Hrø350	1200
8Cr3MoV	V	ø300	1300
8Cr3MoV	V	8Hrø400	700
8Cr3MoV	V	ø290	1300
8Cr3MoV	V	ø570	1000
8Cr3MoV	V	ø370	1100
8Cr3MoV	V	ø370	1200
8Cr3MoV	V	8Hrø390	2100
8Cr3MoV	V	440x440	1150
8Cr3MoV	V	ø370	1150
8Cr3MoV	V	ø370	1150
8Cr3MoV	V	ø280	1200
8Cr3MoV	V	ø360	1350
8Cr3MoV	V	ø350	1440
8Cr3MoV	V	ø360	1250
8Cr3MoV	V	ø360	850
8Cr3MoV	V	ø360	900
8Cr3MoV	V	ø360	1150
90MnCrV8	V	8Hrø540	700
A105	V	600x500	700

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
A105	V	ø360	750
A105M	V	ø490	950
A182F1	V	ø500	1330
A182F11CL2	V	430x430	720
A182F12CL2	V	660x660	650
A182F12CL2	V	250x250	550
A182F12CL2	V	600x590	1100
A182F22CL3	V	530x530	1350
A182F22MOD3	V	ø330	800
A182F22MOD3	V	ø330	900
A182F22MOD3	V	ø320	1300
A182F22MOD3	V	370x370	480
A182F304	V	550x550	600
A182F304L	V	ø340	580
A182F316L	V	500x500	1550
A182F5	V	ø320	600
A182F55	V	8Hrø260	700
A182F6A	V	ø390	400
A182F6A	V	290x290	1500
A182F91	V	ø230	460
A182F91	V	200x190	620
A182F91	V	ø280	620
A182F91	V	190x190	1200
A182F91	V	8Hrø360	470
A182F91	V	ø280	840
A182F91	V	ø320	700
A182F91	V	ø410	480
A350LF2	V	250x250	1800
A350LF2	V	8Hrø680	650
A350LF2	V	400x400	550
A350LF3	V	550x550	700
A565(619)	V	530x530	700
A694F65FMC	V	700x400	1500
A694F65M	V	ø420	420
A694F65M	V	440x440	1500
A694F65TOT	V	365x360	1450
AISI410	-	500x500	840
AISI431	V	ø420	500
ASKO/VD	V	200x150	1500

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
ASKO/VD	V	450x450	600
ASKO/VD	V	ø465	950
ASKO/VD	V	8Hrø530	380
C15E	V	450x445	1700
C22E1	V	ø300	870
C22E1	V	ø550	1150
C22E1	V	ø460	650
C35E	V	ø300	1960
C35E	V	430x430	630
C35E	V	ø500	800
C35E	V	ø480	1500
C35EEN	V	ø470	480
C35EEN	V	330x330	600
C45	V	250x250	1280
C45E	V	360x360	600
C45E	V	240x240	1300
C45E	V	ø200	1800
C45E/2	V	ø580	600
C45ENbV	V	320x160	610
C45ENbV	V	ø290	820
C45ENbV	V	600x300	430
C45ENbV	V	ø310	700
C45ENbV	V	ø210	1500
C45ENbV	V	ø620	500
C45ENbV	V	410x310	700
C45ENbV/2	V	250x250	800
C45ENbV/2	V	ø380	980
C45ENbV/2	V	440x440	1300
C45ENi	V	ø390	580
C50E	V	ø480	800
C55E	V	480x480	1200
C55E	V	240x240	1050
C55E	V	ø440	550
C60	V	620x620	450
C60E	V	300x300	550
C60E2	V	ø370	520
C60E2	V	ø430	1100
C60E2	V	ø260	650
C60E2	V	8Hrø730	770

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
C60E2	V	290x290	700
C60EN	V	ø350	1000
CRK3RMo	V	ø500	700
CRK3RMo	V	290x290	320
CRK3RMo	V	ø170	760
CRK3RMo	V	ø620	1200
ChN35VT	V	240x240	650
Ck45	V	260x260	1100
Ck45	V	400x400	1150
DH36	V	450x380	1180
EA4T	V	250x250	950
F36	V	8Hrø420	1600
GOST35	V	ø490	670
GOST40	V	ø320	680
GOST40	V	380x380	800
GOST40	V	ø330	850
GOST45	V	ø340	600
GOST45	V	ø320	850
K21590VGN2	-	440x440	1100
K21590VGN2	-	8Hrø570	900
K21590VGN3	V	500x490	1100
K21590VGN4	V	ø300	800
KOLD5	V	8Hrø400	2200
L-CM3	V	420x250	880
L-ROL	V	280x280	1020
L-ROL	V	340x190	1160
L-ROL	V	305x90	770
L-ROL	V	450x250	900
L-ROL	-	200x200	700
P245GH	V	ø360	700
P250GHEN2	V	260x230	2900
P250GHEN2	V	390x390	1310
P250GHEN2	V	360x310	3520
P265GHEN2	V	ø310	950
P265GHEN2	V	280x280	1500
P280GH	V	ø230	1350
P355QH	V	ø320	1650
P355QH	V	330x330	450
P355QH	V	240x230	1250

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
P355QH	V	230x200	950
P355QH	V	300x210	1150
P355QH1	V	ø450	1000
P355QH1	V	ø250	1700
P355QH1	V	185x180	1250
P355QH1	V	ø210	1500
P420QH	V	420x420	700
P420QH	V	230x200	700
P420QH	V	290x290	800
P460NH	V	300x300	1650
R220G1MOD	V	500x500	700
R260MOD	V	530x150	900
R260MOD	V	420x150	950
R260MOD	V	420x150	1000
S10	V	330x330	350
S10	V	ø270	1100
S10	V	ø430	670
S10	V	440x440	900
S15	V	430x130	1120
S15	V	ø450	600
S15	V	ø255	1170
S15	V	220x220	1100
S15	V	ø400	1940
S20	V	280x230	1760
S20	V	380x140	650
S20	V	270x270	420
S20	V	ø280	950
S20	V	ø250	730
S20	V	ø490	380
S20	V	200x200	800
S20	V	200x200	1600
S20	V	270x270	620
S20	V	700x510	300
S20	V	470x160	1620
S20	V	340x340	600
S20	V	ø330	1370
S20	V	480x310	300
S20	V	570x310	1350
S20	V	ø420	580

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
S20	V	ø370	720
S20	V	ø190	1700
S20	V	ø380	650
S20	V	ø130	900
S20	V	ø420	1150
S20	V	ø410	700
S20	V	510x510	420
S20	V	500x480	800
S20	-	340x340	1100
S20	V	ø380	900
S20	V	590x590	900
S20	V	390x390	1250
S20	V	590x590	500
S20	V	ø630	750
S20	V	570x330	1350
S20	V	ø480	700
S235JRG2	V	290x160	1700
S355J2	V	250x250	440
S355J2	V	380x380	350
S355J2	V	ø260	1000
S355J2G3	V	200x200	1300
S355J2G3	V	350x240	700
S355J2G3	V	ø190	500
S355J2G3EN	-	350x250	850
S355J2G3KEN	V	440x240	950
S355J2G3KEN	V	400x270	900
S355J2G3KEN	V	ø600	1050
S355J2G3KEN	V	740x530	600
S355J2G3KEN	V	200x160	980
S355J2G3KEN	V	ø200	1050
S355J2G3KEN	V	300x300	800
S355NL	V	340x340	420
S355NL	V	570x380	1070
S355NL	V	ø470	450
S355NL	V	ø450	970
S460N	V	2ø300	1150
S460NL	V	850x140	900
S460NL	V	440x440	1950
S5	V	660x300	1160

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
S5	V	390x390	1400
S5	V	ø430	660
S5	V	ø360	800
S5	V	ø350	1300
S5	V	ø320	580
S5	V	630x630	600
S7SA	V	ø270	850
SA105	V	ø430	2460
SA336F11CL3	V	8Hrø540	1300
SA350LF2CL1	V	ø500	1650
SA508GR4N1	V	340x140	600
SA649CL4	V	ø430	800
SA649CL4	V	ø320	850
SA649CL4	V	ø210	2500
St52.3	V	ø200	550
St60.2	V	ø240	780
St60.2	V	ø320	710
St60.2	V	310x310	1070
St60.2	V	590x590	500
St60.2	V	ø460	1400
St60.2	V	220x220	1450
WStE460	V	ø570	1000
WStE460	V	570x570	1030
WWS1	V	380x380	600
X100CrMoV5	V	8Hrø450	740
X100CrMoV5	V	8Hrø490	1220
X100CrMoV51	V	ø320	1580
X100CrMoV51	V	8Hrø380	850
X10CrMoVNb91EN	V	900x300	1350
X10CrMoVNb91EN	V	ø540	600
X10CrMoVNb91EN	V	ø260	900
X10CrMoVNb91EN	V	ø300	1100
X10CrMoVNb91EN	V	ø340	940
X12Cr13	-	ø540	700
X12Cr13EN	V	ø270	550
X12Cr13EN	V	400x250	800
X12Cr13EN2	V	490x210	1800
X12Cr13EN2	V	430x240	700
X12Cr13EN2	V	390x250	400

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
X12Cr13EN2	V	430x400	800
X12Cr13EN2	V	470x280	1300
X12Cr13EN2Ni	V	460x220	1400
X12Cr13EN2Ni	V	350x240	700
X12Cr13ENNi	V	ø400	1000
X155CrVMo121	V	ø460	220
X155CrVMo121	V	ø450	290
X155CrVMo121	V	ø235	1390
X155CrVMo121	V	380x130	1180
X155CrVMo121	V	ø630	350
X155CrVMo121	V	ø450	430
X155CrVMo121	V	ø240	600
X155CrVMo121	V	ø370	550
X17CrNi162	V	ø490	1300
X17CrNi162EN	V	180x180	1580
X20Cr13	V	ø330	1400
X20Cr13	V	ø340	1250
X20Cr13	V	8Hrø400	460
X20Cr13	V	580x380	900
X20Cr13EN	V	ø350	530
X20Cr13EN	V	ø300	630
X20Cr13EN	V	350x340	950
X20Cr13EN	V	ø310	860
X20Cr13EN	V	460x450	450
X20Cr13EN	V	470x460	540
X20Cr13EN	V	ø400	400
X20Cr13ENP	V	ø205	630
X20Cr13ENP	V	210x70	1380
X20Cr13P	V	ø290	700
X20Cr13P	V	290x200	960
X20Cr13P	V	ø330	650
X20Cr13P	V	ø340	950
X20CrMoV111	V	ø580	700
X20CrMoV111	V	ø390	460
X20CrNi172	V	160x160	1600
X20CrNi172	V	8Hrø340	920
X20CrNi172	V	ø380	300
X20CrNi172	V	8Hrø290	700
X22CrMoV121EN	-	680x150	500

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
X22CrMoV121EN	V	680x150	500
X22CrMoV121EN	V	ø215	950
X22CrMoV121EN	V	8Hrø340	400
X22CrMoV121EN	V	190x190	1100
X22CrMoV121MOD	V	ø360	660
X22CrMoV121MOD	V	8Hrø300	650
X2CrNi189EN	V	480x460	460
X2CrNi189EN	V	ø340	1050
X2CrNiMoN2253	V	370x370	900
X32CrMoV41	V	250x250	1300
X37CrMoV51	V	210x210	600
X37CrMoV51	V	240x240	450
X37CrMoV51	V	ø310	820
X37CrMoV51	V	500x500	400
X37CrMoV51	V	ø470	700
X38CrMoV51	V	340x340	440
X38CrMoV51	V	ø500	450
X38CrMoV51	V	ø420	700
X38CrMoV53	V	270x240	600
X38CrMoV53	V	220x110	850
X38CrMoV53	V	8Hrø350	1100
X38CrMoV53ASK	V	190x120	840
X38CrMoV53ASK	V	290x190	1000
X38CrMoV53ASK	V	290x150	1000
X38CrMoV53ASK	V	290x180	800
X38CrMoV53ASK	V	290x150	900
X38CrMoV53ASK	V	290x150	900
X38CrMoV53ASK	V	250x200	1140
X3CrNiMo134	V	ø125	2350
X3CrNiMo134	V	ø125	1800
X3CrNiMo134	V	270x210	1000
X3CrNiMo134EN	V	220x180	660
X3CrNiMo134EN	V	ø470	300
X3CrNiMo134EN	V	420x420	350
X3CrNiMo134ENMOD1	-	ø340	700
X3CrNiMo134ENMOD1	V	ø300	550
X3CrNiMo134ENMOD1	V	ø240	1400
X3CrNiMo134ENMOD1	V	260x255	1050
X3CrNiMo134MOD1	V	460x210	730

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
X3CrNiMo134MOD1	V	210x210	690
X3CrNiMo134MOD1	V	ø440	900
X40CrMoV51	V	ø300	440
X40CrMoV51	V	240x240	300
X40CrMoV51	V	170x100	1080
X40CrMoV51	V	250x180	400
X40CrMoV51	V	240x180	740
X40CrMoV51ASK	V	220x150	900
X40CrMoV51ASK	V	ø310	450
X40CrMoV51ASK	V	230x180	1580
X40CrMoV51ASK	V	220x220	1000
X40CrMoV51ASK	V	240x180	700
X40CrMoV51ASK	V	ø260	750
X40CrMoV51ASK	V	ø310	800
X40CrMoV51EN	V	ø310	470
X45NiCrMo4	V	ø230	1155
X45NiCrMo4	V	680x510	2050
X45NiCrMo4ASK	V	340x340	500
X45NiCrMo4ASK	V	240x190	640
X45NiCrMo4ASK	V	270x200	400
X48CrMoV811	V	310x190	620
X48CrMoV811	V	290x290	300
X4CrNiMo1651	V	ø270	530
X4CrNiMo1651	V	ø280	700
X4CrNiMo1651	V	ø450	500
X4CrNiMo1651EN	V	8Hrø250	600
X4CrNiMo1651EN	V	ø320	720
X4CrNiMo1651EN	V	8Hrø600	1100
X4CrNiMo1651MOD2EN	V	ø170	760
X5CrNi1810EN	V	ø330	850
X5CrNi1810EN	V	ø270	1130
X5CrNi1810EN	V	440x440	1440
X5CrNiCuNb164	V	ø320	570
X5CrNiCuNb164EN	V	8Hrø570	1000
X6CrNiMoTi17122EN	V	ø270	500
X6CrNiMoTi17122EN	V	250x230	800
X6CrNiMoTi17122EN	V	ø280	480
X6CrNiMoTi17122EN	-	250x250	1000
X6CrNiMoTi17122EN	V	ø570	630

Materiál Material	Vakuovaný Vacuum degassed	Rozměr Dimension	Délka Length
X6CrNiMoTi17122EN	V	440x440	450